

Hexagonal wire mesh machine

Welcome



For the success of customer
For better human life
For Better environment

Brief introduction of company

Normal twisted hexagonal wire mesh machine

Reverse twisted hexagonal wire mesh machine

Auxiliary equipment


Workshop

Stock and export



- ❖ Hebei Metal Enterprise Co.,Ltd is a professional company that developing and manufacturing Hexagonal wire mesh machine equipment, with powerful technical, better production quality and elite team. Our machine realize the mechatronics precision compact, high scientific and technological content, attractive appearance, operate convenient.
- ❖ Our hexagonal wire mesh machine mainly divided into Normal twisted hexagonal wire mesh machine and Reverse twisted wire mesh machine .Could produce wire diameter range from 0.4 to 2.0 mm and width 1000 – 2500 mm. This series of machine widely used for every technical-net, For fixed building walls and insulation, Power plants tie pipe anti-freezing, and the boiler to keep warm, protect poultry role and bird aviary, Protect and support the seawall, hillsides, road and bridge etc. Our quality Equipment jointed with Chinese Army manufacturer 3302 with Germany and Japanese technology. In recent years, our product are valued highly abroad and export to U.S.A, Europe and South East Asia over 60 countries etc.

Normal twisted hexagonal wire mesh machine



Normal Twist Hexagonal Wire Netting Machine is designed to produce hexagonal screens with galvanized low carbon steel wires. The machines of this series are of horizontal design, ensuring smooth running and high productivity.

Opening	Wire Dia. range	Width
1/2"	0.38mm-0.70mm	2000mm
1"	0.40mm-0.80mm	2000mm
2"	0.40mm-1.0mm	2000mm
Power	380V 3.0KW	
Twisted No	3 or 5	
Spindle Speed	25 pieces /minute	
Outside Size	5200mmx2500mmx1500mm	
Weight	2500kgs	



Back of the machine



Lateral of the machine



Reverse twisted hexagonal wire mesh machine is based on the principle of normal and reverse twisting, it is unnecessary to make the iron wire spring form to work consecutively so that the productive increased a lot.

Opening	Wire Dia. range	Width
1"	0.52-0.80mm	2000mm
2"	0.55-1.20mm	2000mm
3"	0.60-1.50mm	2000mm
Power	380V 3.0KW	
Twisted No		
Spindle Speed	33 pieces /minute	
Outside Size	5200mmx2300mmx1500mm	
Weight	2500kgs	



Lateral of the machine



Lateral of the machine



- (1) Spring coiling machine
- (2) Spool winding machine
- (3) Steel spool
- (4) Spool form



Manufacturing workshop



Assembling workshop



Machine in stock



Machine for exporting

Hexagonal wire mesh machine

Thanks



Hebei Metal Enterprise Co.,Ltd

Tel:0086-66792197

Fax:0086-66792192

Email: mt@apmwiremesh.com

info@apmwiremesh.com

sales@apmwiremesh.com

Website: www.apmwiremesh.com

www.apmwiremeshmachine.com