

Machine Type	Mesh	SWG	Max.Wire Min.Wire (mm)	Maximum Wire Dia. to the below Weaving Width				
				1300mm	1600mm	2000mm	2500mm	
B Type	60	No.35 No.38	0.20 0.14	0.150	0.150	0.140	0.120	
	70	No.37 No.38	0.17 0.14	0.150	0.150	0.140	0.120	
	80	No.38 No.41	0.14 0.11	0.120	0.120	0.120	0.120	
	90	No.39 No.42	0.13 0.10	0.120	0.120	0.100	0.100	
	100	No.40 No.43	0.12 0.09	0.100	0.100	0.100	0.100	
	120	No.42 No.45	0.10 0.07	0.090	0.090	0.080	0.080	
	150	No.44 No.46	0.08 0.06	0.060	0.060	0.060	0.060	
	165	No.45	0.035	0.064	0.064	0.064	0.064	
	180	No.47 No.48	0.05 0.04	0.058	0.058	0.058	0.058	
	200	No.47 No.48	0.050 0.040	0.050	0.050	0.050	0.050	
	230	No.47 No.48	0.040 0.035	0.040	0.040	0.040	0.040	
	250	No.47 No.48	0.050 0.040	0.040	0.040	0.040	0.040	
	300	No.48 No.49	0.040 0.030	0.040	0.040	0.040	0.040	
	325	No.48 No.49	0.035 0.030	0.035	0.035	0.035	0.035	
	350	No.48 No.49	0.035 0.030	0.035	0.035	0.035	0.035	
	400	No.49 No.50	0.030 0.025	0.030	0.030	0.030	0.030	
	500	No.50	0.025	0.025	0.025	0.025	0.025	
	635	No. 52	0.020	0.020	0.020	0.020	0.020	
	Twill Dutch Weave							
	200x1400			0.071/0.041	0.071/0.041	0.071/0.041	0.071/0.041	0.071/0.041
	250x1400			0.056/0.041	0.056/0.041	0.056/0.041	0.056/0.041	0.056/0.041
325x2300			0.035/0.025	0.035/0.025	0.035/0.025	0.035/0.025	0.035/0.025	
400x2800			0.028/0.020	0.028/0.020	0.028/0.020	0.028/0.020	0.028/0.020	
500x3600			0.025/0.015	0.025/0.015	0.025/0.015	0.025/0.015	0.025/0.015	

Machine Type	Mesh	SWG	Max.Wire Min.Wire (mm)	Maximum Wire Dia. to the below Weaving Width			
				1300mm	1600mm	2000mm	2500mm
QD Type	8	No.18 No.23	1.10 0.55	0.350	0.350	0.250	0.200
	10	No.18 No.25	1.10 0.45	0.350	0.350	0.250	0.200
	12	No.19 No.26	1.00 0.45	0.350	0.350	0.250	0.200
	14	No.22 No.28	0.70 0.35	0.350	0.350	0.250	0.200
	16	No.25 No.33	0.45 0.25	0.350	0.350	0.250	0.200
	18	No.25 No.35	0.50 0.20	0.350	0.350	0.250	0.200
	20	No.27 No.33	0.40 0.24	0.350	0.350	0.250	0.200
	24	No.26 No.30	0.45 0.30	0.350	0.350	0.250	0.200
	25	No.30	0.30	0.300	0.300	0.250	0.200
	28	No.28 No.30	0.35 0.30	0.350	0.350	0.250	0.200
	30	No.28 No.35	0.35 0.20	0.300	0.300	0.250	0.200
	40	No.32 No.36	0.27 0.18	0.250	0.250	0.220	0.200
	50	No.34 No.37	0.22 0.17	0.220	0.220	0.200	0.200
	60	No.35 No.38	0.20 0.14	0.190	0.190	0.150	0.150
	70	No.37 No.38	0.17 0.14	0.180	0.180	0.140	0.140
	80	No.38 No.41	0.14 0.11	0.140	0.140	0.120	0.120
	90	No.39 No.42	0.13 0.10	0.110	0.110	0.100	0.100
	100	No.40 No.43	0.12 0.09	0.100	0.100	0.090	0.090
	120	No.42 No.45	0.10 0.07	0.070	0.070	0.060	0.060
	Plain Dutch Weave						
	30x150		0.230/0.180	0.230/0.180	0.230/0.180	0.230/0.180	0.230/0.180
	30x280		0.280/0.090	0.280/0.090	0.280/0.090	0.280/0.090	0.280/0.090
	40x200		0.180/0.140	0.180/0.140	0.180/0.140	0.180/0.140	0.180/0.140
	40x340		0.250/0.080	0.250/0.080	0.250/0.080	0.250/0.080	0.250/0.080
	50x250		0.140/0.110	0.140/0.110	0.140/0.110	0.140/0.110	0.140/0.110

50x280	0.140/0.100	0.140/0.100	0.140/0.100	0.140/0.100	0.140/0.100
50x460	0.200/0.060	0.200/0.060	0.200/0.060	0.200/0.060	0.200/0.060
60x500	0.170/0.050	0.170/0.050	0.170/0.050	0.170/0.050	0.170/0.050
70x350	0.130/0.080	0.130/0.080	0.130/0.080	0.130/0.080	0.130/0.080
70x620	0.150/0.050	0.150/0.050	0.150/0.050	0.150/0.050	0.150/0.050
80x300	0.130/0.090	0.130/0.090	0.130/0.090	0.130/0.090	0.130/0.090
80x400	0.130/0.070	0.130/0.070	0.130/0.070	0.130/0.070	0.130/0.070
80x700	0.100/0.030	0.100/0.030	0.100/0.030	0.100/0.030	0.100/0.030
Twill Dutch Weave					
20x250	0.254/0.200	0.249/0.200	0.249/0.200	0.249/0.200	0.249/0.200
30x360	0.254/0.152	0.254/0.152	0.254/0.152	0.254/0.152	0.254/0.152
40x560	0.178/0.102	0.178/0.102	0.178/0.102	0.178/0.102	0.178/0.102
50x250	0.254/0.020	0.254/0.020	0.254/0.020	0.254/0.020	0.254/0.020
80x700	0.102/0.076	0.102/0.076	0.102/0.076	0.102/0.076	0.102/0.076
200x600	0.061/0.046	0.061/0.046	0.061/0.046	0.061/0.046	0.061/0.046
165x800	0.071/0.051	0.071/0.051	0.071/0.051	0.071/0.051	0.071/0.051
165x1400	0.071/0.041	0.071/0.041	0.071/0.041	0.071/0.041	0.071/0.041

Machine Type	Mesh	SWG	Max.Wire Min.Wire	Maximum Wire Dia. to the below Weaving Width			
				1300mm	1600mm	2000mm	2500mm
Q	8	No.18	1.10	0.600	0.600	0.500	0.450
		No.23	0.55				
	10	No.18	1.10	0.600	0.600	0.500	0.450
		No.25	0.45				
	12	No.19	1.00	0.600	0.600	0.500	0.450
		No.26	0.45				
	14	No.22	0.70	0.600	0.600	0.500	0.450
		No.28	0.35				
	16	No.25	0.45	0.500	0.500	0.500	0.450
		No.33	0.25				
	18	No.25	0.50	0.500	0.500	0.500	0.450
		No.35	0.20				
	20	No.27	0.45	0.450	0.450	0.420	0.400
		No.33	0.24				
	24	No.26	0.45	0.380	0.380	0.380	0.380
		No.30	0.30				
	25	No.30	0.30	0.300	0.300	0.300	0.300
	28	No.28	0.35	0.320	0.320	0.300	0.300
		No.30	0.30				
	30	No.28	0.35	0.320	0.320	0.300	0.300
		No.35	0.20				
	40	No.32	0.27	0.270	0.270	0.250	0.250
		No.36	0.18				
	50	No.34	0.22	0.220	0.220	0.180	0.200
		No.37	0.17				

	60	No.35 No.38	0.20 0.14	0.190	0.190	0.180	0.150
	70	No.37 No.38	0.17 0.14	0.170	0.170	0.150	0.140
	80	No.38 No.41	0.14 0.11	0.140	0.140	0.120	0.120
	Plain Dutch Weave						
	8x85		0.360/0.320	0.360/0.320	0.360/0.320	0.360/0.320	0.360/0.320
	12x64		0.610/0.420	0.610/0.420	0.610/0.420	0.610/0.420	0.610/0.420
	12x90		0.450/0.300	0.450/0.300	0.450/0.300	0.450/0.300	0.450/0.300
	14x88		0.51/0.330	0.51/0.330	0.51/0.330	0.51/0.330	0.51/0.330
	14x100		0.410/0.280	0.410/0.280	0.410/0.280	0.410/0.280	0.410/0.280
	16x100		0.400/0.280	0.400/0.280	0.400/0.280	0.400/0.280	0.400/0.280
	16x120		0.360/0.240	0.360/0.240	0.360/0.240	0.360/0.240	0.360/0.240
	20x150		0.250/0.180	0.250/0.180	0.250/0.180	0.250/0.180	0.250/0.180
	24x110		0.380/0.250	0.380/0.250	0.380/0.250	0.350/0.250	0.350/0.250
Machine Type	Mesh	SWG	Max.Wire Min.Wire	Maximum Wire Dia. to the below Weaving Width			
				1300mm	1600mm	2000mm	2500mm
D	Reversed Dutch Weave						
	72x15		0.45x0.55	0.45x0.55	0.45x0.55	0.45x0.55	0.45x0.55
	120x16		0.35x0.45	0.35x0.45	0.35x0.45	0.35x0.45	0.35x0.45
	132x18		0.35x0.45	0.35x0.45	0.35x0.45	0.35x0.45	0.35x0.45
	152x24		0.30x0.45	0.30x0.45	0.30x0.45	0.30x0.45	0.30x0.45
	160x17		0.27x0.45	0.27x0.45	0.27x0.45	0.27x0.45	0.27x0.45
	170x17		0.27x0.45	0.27x0.45	0.27x0.45	0.27x0.45	0.27x0.45
	180x19		0.26x0.45	0.26x0.45	0.26x0.45	0.26x0.45	0.26x0.45
	200x40		0.17x0.27	0.17x0.27	0.17x0.27	0.17x0.27	0.17x0.27
	260x40		0.15x0.25	0.15x0.25	0.15x0.25	0.15x0.25	0.15x0.25
	325x40		0.13x0.24	0.13x0.24	0.13x0.24	0.13x0.24	0.13x0.24